# EXPAND Vision 5 Series

Take video conferencing to a new level with EXPAND Vision 5 for small and medium-sized meeting rooms. A powerful all-in-one video bar with razor-sharp video and outstanding audio performance thanks to two integrated speakers and four microphones.









## Key Features

#### All-in-one product

Speakers, camera, microphones, and compute are built in to make this an all-in-one device for small and medium-sized meeting rooms. No PC needed, with UC apps - such as Microsoft Teams - running natively on the device

#### Superb audio performance

Powerful speakers carry every word clearly. Beamforming microphone array ensures crisp voice pickup and effective noise and echo cancellation

#### Intelligent camera solution

Wide angle 4K camera with Sony sensor and electromechanical pan/tilt for optimal room coverage. Intelligent picture framing dynamically adjusts to include all people in the room – powered by EPOS AI<sup>TM</sup>

See more at eposaudio.com/expand-vision-5



#### Certified solution

Certified for meeting room solutions including Microsoft Teams Rooms on Android™ (with EXPAND Control) and Zoom Rooms

## What's in the Box





Safety guide

Universal Power Supply



May vary depending on product variant

## Additional benefits & features



#### Easy setup and installation

Quick and effortless configuration with flexible mounting options. Use the included wall-mount to hang it above or below the display or place it directly on a table



#### Cable management

Integrated cable management for a tidy meeting room and a consistent set-up. Supports Kensington lock to ensure the video bar remains where it should



#### Enterprise-grade security

Developed to meet the highest security standards



#### Guaranteed privacy

Comes with dedicated hard-wired mute buttons for camera and microphones



#### Content sharing

Share meeting content easily, through cable or wirelessly



#### Dual screen support

Display video content on two screens. See the presentation on one, participants on the other



#### Stay in control

Control the meeting with the EXPAND Control tablet or via a smart display touch screen



#### Centralized device management

Remote device administration and provisioning through EPOS Manager or UC provider solutions



#### Warranty and support

A two-year warranty ensures your investment is protected. Plus, access to EPOS Support team for questions and assistance



#### Automatic power saving

Goes into power saving mode when the motion sensor detects no activity in the meeting room



#### Statement Scandinavian design

Premium materials meet Scandinavian simplicity

## Product data

General		
Color	Black	
Weight	2,500 g / 88,2 oz	
Dimensions	74 x 620 x 115 mm / 2,9 x 24,4 x 4,5 in (H x L x W)	
Warranty	2 years. Extended warranty available for purchase	
Technical		
Operating system	Android™ 10 (or later)	
Internal storage	32 GB	
CPU Qualcomm)	800 Series Processor (8 Core Kryo)	
GPU	Adreno™ 540 graphics	
Chipset	Qualcomm APQ8098	
RAM memory	4 GB	
Supply voltage	12 V	
Power consumption	Up to 36 W	

### Product data

2/5

Microphone coverage

Effective microphone range

Speaker

Microphone frequency response

Speaker frequency response

Video/Camera			
Camera	4K wide-angle with Sony® sensor		
Lens type	6 element aspherical low distortion lens		
Video resolution	Up to 1080p (Full HD) @ 60fps		
Zoom	4x digital		
Pan-tilt-zoom (PTZ)	Enhanced PTZ, Electromechanical pan/tilt ± 20°		
Field of view (FOV)	100° (Horizontal) / 80° (Vertical) / 112° (Diagonal)		
Depth of Field	Fixed, with a focus range from 1 - 6 m / 3,3 - 19,8 ft		
Intelligent picture framing	EPOS AI™ powered		
Audio			
Microphone	4 Digital MEMS enhanced beamforming microphones. Noise and echo cancelling		

180° horizontal pick-up pattern

2 speaker drivers in suspended anti-vibration cabinets

6 m / 19 ft 150 - 7,500 Hz

100 - 20,000 Hz

## Product data

3/5

#### Network & Connectivity

Input/Output	Ethernet, HDMI in/out, USB-C, MicroSD	
Ethernet	IPv4 & IPv6, DHCP/Static IP	
Wi-Fi	Dual-band: (2,4/5 GHz) Standard: 802.11 ac	
Bluetooth®	Version 5.0 Bluetooth® profiles: A2DP, HSP, AVRCP Microsoft Teams proximity join	
Wireless sharing technology	Miracast <sup>®</sup>	
USB mode support	Yes	
Dual-screen support	Yes	
Touch-screen support	Yes	
Privacy/Security:		
Hardwired privacy switches	Camera / Microphone	
Security lock support		
Encryption	Crypto Engine v5, DRBG/PRNG (FIPS-compliant), Inline Cypto Engine	

## Product data

Products variants	What's in the box		
EXPAND Vision 5 EPOS EXPAND Vision 5 video bar, Universal power supply, HDMI cable, Wall mount bracket, Safety guide, Quick quide and Complian			
EXPAND Vision 5 Bundle	EXPAND Vision 5: EPOS EXPAND Vision 5 video bar, Universal power supply, HDMI cable, Wall mount bracket, Safety guide, Quick quide and Compliance sheet		
	EXPAND Control: EPOS EXPAND Control, Power over Ethernet (PoE) cable, Tabletop bottom plate, Safety guide, Quick quide and Compliance sheet.		
Software			
EPOS devices can be managed with following Software solutions:			
EPOS Manager	Manage, update and configure EPOS audio and video devices from any location.  For both cloud and on-premises solutions: eposaudio.com/software-epos-manager		

## Product data

Product	duct Certifications		UPC code	
EXPAND Vision 5 Art. no. 1000425	Certified for leading UC solutions incl. Microsoft Teams Rooms on Android™ (with EXPAND Control) and Zoom Rooms	57 14708 00226 0	8 40064 40226 2	
EXPAND Vision 5 Bundle Art. no. 1001181	Certified for leading UC solutions incl. Microsoft Teams Rooms on Android™ and Zoom Rooms	57 14708 00985 6	8 40064 40985 8	

## Spare parts

Product	Art. no.	Description	EAN code	UPC code
PS - Uni 03	1001151	Power supply for EXPAND Vision 5	57 14708 00953 5	8 40064 40953 7
WM 01	1001154	Wall mount bracket for EXPAND Vision 5	57 14708 00956 6	8 40064 40956 8

## Accessories

Product	Price	Art. no.	Description	EAN code	UPC code
Vision 5 - TTM 01	MSRP: €199 / \$219	1001093	Tabletop mount for EXPAND Vision 5	57 14708 OO895 8	8 40064 40895 O
VISION - RC 01T	MSRP: €50 / \$55	1000930	Remote control with Microsoft Teams button for EXPAND Vision 5	57 14708 00731 9	8 40064 407311







VISION - RC 01T

## Appendix

_			
10	~r	าท	ical

USB output	5 V, 500 mA	
Operating temperature (Max)	35 °C / 95 °F	
Operating temperature (Min)	4 °C / 39 °F	
Operating humidity (Max)	90%	
Storage temperature (Min) 2 °C / 35 °F	2 °C / 35 °F	
Storage temperature (Max) 45 °C / 113 °F	45 °C / 113 °F	
Video/Camera		
Video standards and protocols	Encode: H.264, VP8, HEVC, MPEG-4 Decode: H.264, VP8, HEVC 8/10-bit, VP9, MPEG-4	