




# Poly Sync 20+ Speakerphone USB-C/A Adapter (B95VKAA)

## Overview

### Quality sound made portable

Sound like the professional you are with Poly Sync 20 USB/Bluetooth® smart speakerphone — for conference calls and music anywhere you work. Take it wherever you go — it's got up to 20 hours of talk time.



### Dynamic audio

Take conference room-quality audio on the go. Enjoy remarkable sound from meetings to music and reduced echo and noise so you can be heard clearly.

### Works the way you do

A programmable button puts your favorite function at your fingertips — play / pause music, last-number redial and voice assistant — it's up to you. What's the status of a call? Know from a distance with the highly visible light bar.

# Features

## Three-microphone array

Experience conference calls with outside noise and distractions tuned out. A three-microphone array focuses on your voice — not the surrounding noise.

## Full-duplex audio

Collaboration gets tough when one voice dominates the conversation. Full-duplex audio makes simultaneous conversations a breeze.

## Smartphone charger

Stay connected and ready for your calls with the ability to charge your smartphone when on the go via an included USB Type-C® to USB-A adapter.

## Up to 20 hours of battery life

Work on the go — the battery is ready for portable use with up to 20 hours of talk time on a full charge charge.<sup>[1]</sup>

## Wireless connection

Enjoy easy connectivity, however you want to work with your devices — connect smartphones wirelessly via Bluetooth® or to the computer with the included USB Type-C® to USB-A adapter.

## Communications platforms

An IT manager's dream, this speakerphone was created for communication and is optimized and certified to work with top virtual meeting providers.<sup>[2]</sup>

---

[1] Full charge time is 4 hours.

[2] Visit <https://www.poly.com/us/en/products/phones/sync/sync-20> for more detail.

## Specifications

|                                       |  |
|---------------------------------------|--|
| <b>Audio</b>                          | Ideal for up to 4 x 4 m room size; Up to 2 m (7 ft) microphone pickup range; Full duplex audio; Noise and echo reduction; Bass reflect with dual passive radiators; Up to 7 ft / 2 m microphone pickup range |
| <b>Dimensions (W x D x H)</b>         | 34 x 95 x 182 mm   |
| <b>Dimensions (W x D x H)</b>         | 1.3 x 3.7 x 7.2 in   |
| <b>Weight</b>                         | 360 g  |
| <b>Weight</b>                         | 0.79 lb  |
| <b>Package dimensions (W x D x H)</b> | 209 x 183 55 mm  |
| <b>Package weight</b>                 | 0.54 kg  |
| <b>Battery life</b>                   | Up to 20 hours (talk time)   |
| <b>Minimum System Requirements</b>    | USB Type-A port; Bluetooth®; USB Type-C® port  |
| <b>UPC number</b>                     | (ABB) 199764064530; (AC3) 198990677170   |
| <b>Manufacturer Warranty</b>          | Poly standard two-year limited warranty  |
| <b>What's in the box</b>              | Quick start guide; Warranty card; Product notice; Wired Speakerphone; Lanyard; Carrying pouch; BT700 Bluetooth® Type-C® adapter; USB Type-A adapter  |

## Additional specifications

|   |   |
|---|---|
| <b>Battery type</b>                       | Rechargeable Li-ion   |
| <b>Bluetooth version</b>                  | Bluetooth® Core 5.1   |
| <b>Bluetooth® adapter</b>                 | BT700   |
| <b>Button user controls</b>               | Power on/off; Bluetooth® pairing  |
| <b>Cable length</b>                       | 715 mm  |
| <b>Cable length (imperial)</b>            | 28.1 in   |
| <b>Cartons per layer</b>                  | 10  |
| <b>Cartons per pallet</b>                 | 80  |
| <b>Certifications and compliances</b>     | CE; CB; GS; FCC; IC; Rematel; IFT/NOM; RCM; MPTC; WPC; SDPPI; Telec/VCCI; KC; NTC; IMDA; SdoC; BSMI; NCC; SRRC; SIRIM; TRA; EAC; DWLF&F; TP-BY; MoC; TRC; Kvalitet; ICASA; UKCA; BQB; FSB; SONCAP; ICES; CULus; Ukraine; India BIS; KCC; VCCI; UL; CNC; TUV; ANRT; RATEL; IFETEL; DWLF&M; BIS; Telec; MOICT; iCTqatar; NOM; NBTC; CITRA; ETL; PAP Recycle Mark; WEEE; GreenDot; C-Tick; MCMC; UUF warning; ETA; Triman; CCC; cUL; Marocco CM; cTUVus; Anatel; Subtel; Conatel; RoHS; UkrSepro |
| <b>Certified collaboration software</b>   | Zoom  |
| <b>Charge time</b>                        | <4 hours  |
| <b>Color</b>                              | Black   |
| <b>Compatibility</b>                      | Compatible with PCs via USB Type-A cable and smartphones via Bluetooth®   |
| <b>Compatible Operating Systems</b>       | Windows 11; Windows 10; macOS   |
| <b>Connection type</b>                    | Wireless: Bluetooth®, USB Type-C® BT700, USB Type-C®/A adapter  |
| <b>Datasheet photo 1</b>                  | <a href="https://hp.widen.net/content/uy6ccjy2an/png/Poly%20Sync%2020%2B_USB-C%20to%20A%20adapter%20with%20BT700%20USB-C_Front_3919768.png?w=800&amp;h=800&amp;position=c&amp;color=ffffff00&amp;quality=80&amp;u=qxopdr">https://hp.widen.net/content/uy6ccjy2an/png/Poly%20Sync%2020%2B_USB-C%20to%20A%20adapter%20with%20BT700%20USB-C_Front_3919768.png?w=800&amp;h=800&amp;position=c&amp;color=ffffff00&amp;quality=80&amp;u=qxopdr</a>   |
| <b>Impedance</b>                          | 4 ohms  |
| <b>Indicator light</b>                    | On call   |
| <b>Management Software</b>                | Poly Lens <sup>[1]</sup>  |
| <b>Master carton dimension (imperial)</b> | 22.99 x 7.68 x 8.98 in  |
| <b>Master carton dimension (metric)</b>   | 584 x 195 x 228 mm  |
| <b>Master carton weight (imperial)</b>    | 12.07 lb  |
| <b>Master carton weight (metric)</b>      | 5.47 kg   |
| <b>Microphone bandwidth</b>               | 100 Hz to 7.3 kHz   |
| <b>Microphone type</b>                    | Three-microphone steerable array  |

|                                       |   |
|---------------------------------------|---|
| <b>Nominal sound pressure level</b>   | 86 dB SPL   |
| <b>Number of microphones</b>          | 3   |
| <b>Package dimensions (W x D x H)</b> | 8.23 x 7.20 x 2.17 in   |
| <b>Package weight</b>                 | 1.19 lb   |
| <b>Paired devices</b>                 | Up to 10  |
| <b>Pallet (layers)</b>                | 8   |
| <b>Pallet weight</b>                  | 456.52 kg   |
| <b>Pallet weight</b>                  | 1006.45 lb  |
| <b>Products per pallet</b>            | 800   |
| <b>Products per pallet layer</b>      | 100   |
| <b>Sensitivity (microphone)</b>       | -20 dBV/Pa  |
| <b>Sensitivity (speaker)</b>          | 82 dB (1 W/1 m)   |
| <b>Signal-to-noise ratio</b>          | >68 dB  |
| <b>Speaker bandwidth</b>              | 80 Hz to 20 kHz   |
| <b>Speaker size</b>                   | 40 mm   |
| <b>Supported bluetooth profiles</b>   | A2DP; AVRCP; HFP; HSP; BLE                                      |
| <b>Touch user controls</b>            | Call/answer end; Mute; Volume +/-; Programmable function button |
| <b>UC compatibility</b>               | Standard  |
| <b>UNSPSC code</b>                    | 43191515  |
| <b>Wireless range</b>                 | Up to 30 m  |
| <b>Wireless range (imperial)</b>      | Up to 98 ft   |

---

*[1] Requires downloadable software on [Poly.com/lens](https://poly.com/lens). Host PC requires Windows 10 or higher.*

---

# Hybrid Work Solutions

## Audio

★ : Recommended

### Audio Accessories

|                                    |         |
|------------------------------------|---------|
| Poly BT700 USB-A Bluetooth Adapter | 786C4AA |
| Poly BT700 USB-C Bluetooth Adapter | 786C5AA |

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 17, 2025 10:06 AM UTC+0000