

Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption




Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform



Global Coverage & Support Services

Professional support and post-sales services for worldwide customers









Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A10, A20 and A30 for huddle, small and medium spaces, but also provides the MVC940 room system that can meet the needs of extra-large rooms covering up to 30 users and the MVC S90 room system for Pro-AV rooms.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

Microsoft Teams Rooms on Android



MeetingBar A10 for standard small rooms



All-in-one MeetingBar designed for small spaces



20° field of view, 4K camera, Al-powered video features



(1)) Full-duplex audio and Al-enhanced Noise Cancellation



Support plug-and-share wireless presentation with WPP30



Quick setup and easy to manage



MeetingBar A20 for premium small rooms



All-in-one MeetingBar for smart Teams collaboration



20° field of view, 20MP, Al-powered camera



(1)) Full-duplex audio, Noise Cancellation and Acoustic Shield



Support plug-and-share wireless presentation with WPP30



Quick setup and easy to manage



MeetingBar A30 for medium rooms



All-in-one MeetingBar with smart Al features



O Dual-camera system for large views



(1) HD full-duplex audio and great pickup range



Support plug-and-share wireless presentation with WPP30



Plug-and-play setup and easy management

Microsoft Teams Video Phone



VP59 Teams Video Phone for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

Specifications

MeetingBar A10

MeetingBar A10 Package

- · MeetingBar A10
- · 3 m Ethernet cable
- · 1.8 m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 4K Camera
- · 120° FoV
- · 4x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

Audio

- · Built-in microphone array
- · Built-in high fidelity speaker
- · Al Noise Cancellation Algorithm
- · Full-duplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off

- Mute/Unmute
- Volume Up/Down - Hang

MeetingBar A20

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable *2
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 20MP Camera
- · 120° field of view
- · 8x e-PTZ camera
- · Electric privacy
- shutter · Al Feature
- Auto Framing
- Speaker Tracking
- Multi-focus Framing
- Picture-in-picture

Audio

- · Built-in 8 MEMS microphone array
- · Extended mic for small-to-medium rooms
- · Built-in 5W high fidelity speaker
- · Al Noise Cancellation Technology
- · Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation
- · Acoustic shield · Video fence

Meeting Features

- · Calendar
- · One-click join
- · Proximity join PSTN dial-in
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

MeetingBar A30

A30 -Teams Package

- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMl cable · Mounting Bracket
- and Accessories · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera
- Telephoto Camera: · 8MP Camera
- · Field of view: 90°
- · 10x Hybrid Zoom (3.5x optical, 3x digital)
- · Horizontal Rotation
- Angle: +25°/-25° · Vertically Rotation
- Angle: +16°/-16°
- · Electric Privacy Shutter Intelligence Features
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS
- microphone array
- · Support extention mic · Two Built-in 5W high fidelity speakers
- · Yealink Noise Proof Technology
- · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation
- · Acoustic shield
- · Video fence

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume - Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft DM
- Proximity join

- · 8 inch (1280 x 800) capacitive
- Yealink Noise Proof technology
- speakerphone with AEC
- · Microsoft Teams-tailored
- · Support Microsoft/Yealink/ Unify Square device
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

VP59 Teams Edition

- adjustable touch screen · Optimal HD audio, support
- · HDMI for connection to monitor or TV Based on Android 9.0

- user interface
- management platform

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to Use
- · One-touch to join



Wireless Content Sharing
One tap to share content

wirelessly with WPP30



Simplified Cabling System

- · Shorten deployment time
- · For all MVC room systems

Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC340 for focus and small rooms (2-6 users)



UVC34

4K camera, 120°FoV, Auto Framing



Built-in microphone arrays and speaker HD voice, full-duplex,

15ft/4.5 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

UVC40 All-in-One USB Video Bar Al features: Auto Framing & Speaker

Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





for medium rooms (7-11 users)

 \square

UVC8

4K camera, 12x optical zoom, Auto Framing



CPW65

HD voice, full-duplex, 10ft/3 meter pickup range





MVC860 for medium and large rooms (12-18 users)

UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



VCM35

360° 20ft vioce pickup range, cascade connection up to 8 units





MVC940 for extra-large rooms (>18 users)



UVC84

4K camera, 12x optical zoom, multi-camera solution with AVHub(up to 9 cameras)



Flexible Audio Options

work with Yealink VCM35 wired microphone, VCM36-W wireless microphone and VCM38 ceiling microphone with MSpeaker II





MVC S60 for medium rooms (7-11 users)



SmartVision 360° intelligent camera 10K 360° all-in-one camera, Speaker Tracking, Multi-Stream People Feed, Copilot Integration, Voice and Face Recognition



Built-in microphone arrays and speaker 6 microphone arrays for meeting audio, 6+1 microphone arrays for Al audio





MVC S90 for Pro-AV Rooms (>18 users)




UVC86

Dual-eye 4K intelligent camera, featured 4K sensor and 12x optical zoom, Auto Framing, Speaker Tracking, Presenter Tracking and Multi-camera Intelliframe.



Flexible Audio Options

work with Yealink VCM35 wired microphone, VCM36-W wireless microphone and VCM38 ceiling microphone with MSpeaker II, flexible audio options with Shure, Biamp, Extron, etc.



MCoreKit-C4-MS



MCore Pro

3x HDMI out supporting 21:9 displays, built-in CEC chip and EDID module



MTouch E2

8 inches IPS screen, multiple deployment options



MCoreKit-C5-MS



MCore Pro

3x HDMI out supporting 21:9 displays, built-in CEC chip and EDID module




MTouch Plus

11.6 inches IPS screen, multiple deployment options



Module	Module Features		MVC340	MVC400	
	Target Room S	Size	Huddle rooms	Small rooms	
	Mini-PC		Tidddio Toomo	Yealink MCore Pro	
	Touch Console & Sharing Device		Yealink MTouch E2	Yealink MTouch E2	
0	USB Camera		Yealink UVC34 all-in-one USB video bar	Yealink UVC40 all-in-one USB video bar	
Components	Audio		Built-in microphone arrays and speaker	Built-in microphone arrays and speaker	
	Wireless Presentation		WPP30 (Optional)	WPP30 (Optional)	
	MVC-BYOD-Extender		NA	Optional	
	CPU		11th-gen Intel i5 quad-core chipset		
	Memory		8GB (2*4GB)		
	Storage		128GB SSD		
	Video Output		3x HDMI, CEC supported		
Mini-PC	USB EDID Built-in		4x USB3.0		
	EDID Built-in			√ √	
	Wi-Fi Bluetooth			v √	
	Yealink MTouch Port			v √	
	Cable Management			√ √	
	Console		N	v/Touch E2 touch console	
	Screen Size		8 inches IPS screen		
	Screen Resolution			1280 × 800	
	Bracket		Adjustable 28° ~ 50°		
	Human Motion Sensor			\checkmark	
Touch Console	3.5mm Audio F	Port	\checkmark		
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary		
		ng Resolution / Frame Rate	1080P / 30FPS		
		erface for Content Sharing	HDMI & USB-C √		
	Built-in Wi-Fi AP for Content Sharing Wireless Content Sharing		Work with the Yealink WPP30 wireless presentation pod		
	UVC Protocol	enconanng	UVC 1.0	UVC 1.0	
	Zoom		5x digital zoom	8x digital zoom	
	Resolution / Fr	ame Rate	4K / 30FPS	4K / 30FPS	
	Field of View (diagonal)	120°	133°	
Camera Features	Pan/Tilt range		ETPZ	ETPZ	
Camerareatures	Auto Framing		$\sqrt{}$	\checkmark	
	Speaker Tracking		×	\checkmark	
	Presenter Trac	cking	×	х	
	IntelliFrame (Multi-Stream People Feed)		×	×	
	Power Adapter		AC 100~240V input and DC 48V/0.7A output	AC 100~240V input and DC 48V/0.7A output	
AVHub	Camera Layou			NA	
AVHUD	Maximum Number of Cameras		NA	NA	
	Audio Ports	Frequent Response			
		RMS			
	Speaker	THD	Built-in 5W high fidelity speaker	Built-in 5W high fidelity speaker	
		Maximum Speakers			
Audio Features			Built-in 8 microphone array	Built-in 8 MEMS microphone array	
	Microphone		15ft (4.5-meter) voice pickup range	20ft (6-meter) voice pickup range	
	3rd Party DSP System Compatibility		NA	NA	
	Operating System			vs 10 IoT Enterprise OS & License T Enterprise OS & License (in 2023Q4)	
	Microsoft Teams Rooms App		windows if io1 Enterprise US & License (in 202304) √		
Preload	Microsoft Tear		·		
Preload		Connect Device		$\sqrt{}$	
Preload	Yealink RoomC Management A Windows Upda	connect Device Agent ate		√ √	
Preload Device Management	Yealink RoomC Management A	connect Device Agent ate Management d Service			



Module	Features		MVC S90	MVC S60	
violatio	reactives				
	Target Room Size	9	Pro-AV rooms	Medium rooms	
	Mini-PC		MCore Pro	MCore Pro	
	Touch Console 8	Sharing Device	Yealink MTouch Plus	Yealink MTouch Plus	
Components	USB Camera	Condining Device	2×Yealink UVC86 4K dual-eye intelligent camera	SmartVision 60 AIO intelligent camera	
	Audio		Flexible options	Built-in microphone arrays and speaker	
	Wireless Presentation		2×WPP30 wireless presentation pod	WPP30 (Optional)	
	MVC-BYOD-Extender		√ √	NA	
	CPU	riuei			
			11th-gen Intel i5 quad-core chipset		
	Memory		8GB (2*4GB) 128GB SSD		
	Storage Video Output				
Mini-PC	Video Output		3x HDMI, CEI	**	
IVIII II-PC	USB			SB3.0	
	Wi-Fi			/	
	Bluetooth	2		/	
	Yealink MTouch I			√	
	Cable Management			/	
	Console		MTouch Plus t	touch console	
	Screen Size		11.6 inches IPS screen		
	Screen Resolution		1920 x 1080		
	Bracket		Adjustable 50°~180° (Angle betwe	een screen and desktop:30°~70°)	
Touch	Human Motion Sensor		Work with RoomSensor via BLE		
Console	3.5mm Audio Port		\checkmark		
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary		
	Content Sharing Resolution / Frame Rate		1080P / 30FPS		
	Video Input Interface for Content Sharing		HDMI & USB-C		
	Built-in Wi-Fi AP	for Content Sharing	1	/	
	Wireless Conten	t Sharing	Work with the Yealink WPP3	0 wireless presentation pod	
	UVC Protocol		UVC 1.0	UVC 1.5	
	Zoom		20X HD zoom (12X optical, 1.7 digital)	5x digital Zoom	
	Resolution / Frame Rate		4K / 30FPS	10K Camera	
	Field of View (diagonal)		90°	360°	
Camera	Pan/Tilt range		±100° Pan, +40°/-90° tilt	EPTZ	
Features	Auto Framing		\checkmark	×	
	Speaker Tracking		$\sqrt{}$	\checkmark	
	Presenter Tracki	ng	\checkmark	×	
	IntelliFrame (Multi-Stream People Feed)		Coming soon	√	
	Power Adapter		AC 100~240V input and DC 48V/0.7A output	AC 100~240V input and DC 15V/2.4A output	
	Camera Layout		\checkmark		
AVHub	Maximum Numbe	er of Cameras	9	NA	
	Audio Ports		1x RCA-in, 1x RCA out, 1x 6.3 mm line-in, 1x 6.3 mm line-out		
	Addio1 orts	Frequent Response		100 Hz - 22K Hz	
	0	RMS		5W	
	Speaker	THD	NA	1%	
Audio		Maximum Speakers	NA	NA	
Features	iviaximum speakers		NA 6 microphone arrays for meeting audic		
	Microphone			6+1 microphone arrays for Al audio	
			Compatible with 3rd party DSP Systems		
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP Systems Including Shure, Biamp, Q-SYS, etc.		
	Operating System		Windows 10 IoT Enterprise OS & License Windows 11 IoT Enterprise OS & License (in 2023Q4)		
Preload	Microsoft Teams Rooms App		√		
	Yealink RoomCor			/	
	Device Managem	nent Agent	\	v	
	Windows Update)	1	/	
Device Management	Yealink Device M		1	/	
	Platform/Cloud Service				
				/	
Management	Microsoft SCCM			/	



Collaboration Display Solutions for All Scenarios



Yealink offers a comprehensive collaboration display solution for various scenarios, whether it's an open space, a meeting room, a shared area like a phone room, or a personal workspace. The MeetingBoard Series delivers a fantastic meeting experience in meeting rooms of all sizes and open spaces. DeskVision A24 transforms any desk into a hub for collaboration and productivity.

MeetingBoard Series

Fantastic Meetings On Board

- · All-in-one design
- · 65'/86', light/dark color
- · Wall-hung or with movable floor stand
- · Smart collaboration whiteboard
- · Premium Al-powered view
- · Premium full-duplex audio
- · Solutions for all spaces with full device eco system





Small Room

Brainstorm with a shared whiteboard.

MeetingBoard65 | CTP18 | WPP30



Medium Room

Fantastic meetings with superb audio and video.

MeetingBoard65 | 12x PTZ cam | CTP18 | WPP30



Large Room

Pro meetings, plug-and-play.

MeetingBoard86 | ETV86 | 12x PTZ cam | VCM36x2 | CTP18 | WPP30x2



Training Room

Contents shared, knowledge learned.

MeetingBoard86 | ETV86 | 12x PTZ cam | WPP30



Co-create space

 $\label{thm:continuous} \textit{Keep ideas flowing with the MeetingBoard.}$

MeetingBoard65 | Floor Stand | WPP30



Manager Office

Come to share your great ideas.

MeetingBoard65 | Floor Stand | WPP30

MeetingBoard Specifications

Module



os	OS	Android 10	
Chipset	SoC	QUALCOMM SNAPDRAGON 845	
	Size	65/85 inch	
	Backlight type	D-LED	
Disp l ay	Resolution	3840 x 2160	
	Ratio	16:9	
	Anti-Fingerprint	\checkmark	
	Anti-Glare	\checkmark	
	Resolution	3840*2160	
	Lens	8MP	
Built-in Camera	Field of view	120° diagonal field of view	
	Zoom	e-PTZ	
		4 x digital zoom	
	Privacy shutter	Automatic Hiding Shutter	
	Microphone	Built-in 16 MEMS beamforming microphones	
	Speaker	4 full range+2 tweeter stereo speakers	
Audio	RCA input/output	$\sqrt{}$	
	Acoustic echo cancellation	√	
	Reverberation suppression	\checkmark	
	Beamforming technology	√	
	LED lightstrips	V	
Buttons	Home button	√	
	Input source button	\checkmark	
	Volume up/down button	√	
	HDMI	1×HDMI output	
		1×HDMI input	
	CEC	√	
	PTZ camera port	√	
	VCH	1 × Yealink VCH port (RJ-45)	
	USB	3 × USB Type A	
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port	
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band	
	Bluetooth	Built-in Bluetooth 5.0	
	Security lock slot	√	
	Windows OPS slot		
	Reset slot	·	
	Motion sensor	√	

DeskVision A24

Desk Simplified, Collaboration Optimized

- · All-in-one design
- · Intelligent noise cancelation
- · Pop-up 4k camera
- · UC workstation
- · Full-duplex audio
- · Support hot-desking & virtual receptionist





Phone Room

Best MTR solution for the smaller spaces



Hot-Desking

Teams display for smooth and secure hot-desking experience



Home Office

Desktop Productivity Partner



Front Desk


Teams Virtual receptionist

DeskVision A24 Specifications

Module



	Dimensions	23.8 inch		
	Resolution	1920 x 1080		
	Refresh Rate	60Hz		
Screen Specifications	Color Depth	8 bit		
	Contrast Ratio	1000:1		
	Viewing angle	Horizontal: 178°		
		Pitch: 178°		
	Multi-touch	10 points		
	Camera FOV	83°		
Camera Specifications	Video Specifications	Up to 1080p30 Video Call		
	Privacy protection	Automatically lifted or manually controlled lift		
	Microphone Type	Built-in microphone array		
Audio Specifications	Intelligent noise cancellation technology	$\sqrt{}$		
Addio opeemeditoris	Speaker	Built-in Stereo Speaker		
A Province Advantage	Dual Mode	Built-in Android + Monitor Mode		
Application Mode	Android System	Android 10		
	HDM I in	1		
		1x USB-C 3.0 upstream,DP-IN, provide PD up to 45w		
Application Mode	USB-C	1x USB-C 3.0 downstream interfaces for connecting peripherals,		
		Only supports the use of PCs connected to the USB-C upstream interface		
		2x USB-A 3.0 downstream interfaces for connecting peripherals,		
	USB-A	as extra USB ports for the PC connected		
Dhysical interfess		1x USB-A 2.0 downstream interface, used to connect to headphones		
Physical interface	Power	DC 19V		
	Wireless Charging	Support wireless charging for mobile phone		
	Button	Power, Volume, Mute, Camera on/off, Switch mode, Teams button		



THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

THE FIRST

One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices

Shared devices





















Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise **Proof Technology**
- · Full-duplex hands-free speakerphone with AEC



Native Microsoft Teams Experience

- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phone



Yealink MP50

Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking



4-inch Multi-

touch Screen



Audio



Teams

Button



USB Hub Bluetooth











Yealink MP52

Cost-effective basic desk phone for common areas



USB Hub







Screen

Color







Yealink MP54

Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces















Android 12.0 OS

4-inch Multi-

HD touch Screen Audio

Teams Button

Wi-Fi & Bluetooth via optional dongle



Yealink MP56

Mid-level Microsoft Teams phone for office workers



12.0 OS



touch Screen



Audio



Button



Built-in Wi-Fi & Bluetooth





Yealink MP58/MP58-WH

Premium Microsoft Teams phone for executives and professionals



Android 12.0 OS



7-inch Multi-

touch Screen



Audio



Button



Built-in Wi-Fi & Support Bluetooth



^{*}Some desk phone models are certified by Skype of Business, please contact our sales for details.

Conference Phone



Yealink CP965

Best-in-class conference phone for Microsoft Teams



touch Screen





Bluetooth





Built-in 3-Microphone



Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features	•				
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	√	\checkmark	√	$\sqrt{}$	X
Backlight	√	√	√	√	√
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	√	√	√	√	√
Message Waiting Indicator (MWI)	√	√	√	√	X
Multiple languages	√	√	√	√	√
Dedicated Teams Button	√	\checkmark	√	$\sqrt{}$	X
Wall mount	√	√	√	$\sqrt{}$	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	√	√	√	√	√
CNG (Comfort noise generator)	√	√	√	√	√
AJB (Adaptive jitter buffer)	√	√	√	√	√
PLC (Packet loss concealment)	√	√	√	√	√
AGC (Automatic gain control)/ NS (Noise Suppression)	√	√	√	√	√
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	X	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	√	√	√	X	√
Expansion Module support	EXP50	EXP50	X	X	X
Bluetooth Handset support	√(MP58-WH)	X	X	X	X
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af) , class 3	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af) , class 3
RJ9 handset port	√	√	√	√	X
RJ9 headset port	√	√	√	√	X
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	X
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	√	√	√	NA	V
Yealink Redirection and Provisioning Service (RPS)	√	√	√	NA	√

Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{\text{Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.}$ $\sqrt{\text{Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.}$





A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video





















USB Peripherals

Headset



UH34 & UH34 Lite Dual/Mono Essential USB Wired Headset



connectivity



integration

Exce**ll**ent audio performance







UH36 Dual/Mono Premium USB Wired Headset





integration









UH37 Dual/Mono Professional USB Wired Headset



Dual Noise-Canceling Excellent audio Microphones



performance wearing comfort Busylight integration











UH38 Dual/Mono **USB Wired Headset Master**



Microphones







Battery



Call and Music





WH62 & 63 Portable **DECT Wireless Headset**



Plug-and





Optima audio





Multiple device





WH62 & WH63 Essential DECT Wireless Headset



네비만 Acoustic Optima audio



Four wearing







WH66 & WH67 UCWORKSTOTION Premium DECT Wireless Headset







All control

Customizable





BH71 Pro

Mono Bluetooth Wireless Headset for Hybrid Worker



4-mic beamforming earhook for noise comfortable cance**ll**ation



Up to 10-hour talk time of headset



talk time by

charging

case

((p)) Up to 100ft

range

Connection wireless to Mobi**l**e/PC





BH71 Workstation UCWOrkstation

earhook for

comfortable

wearing

Adjustable

wearing

Mono Bluetooth Wireless Headset for Office Worker



4-mic beamforming cancel ation



Up to 10-hour talk time



workstation

wireless

All-in-one UC Up to 250ft Connection to Mobile/ range PC/Desk Phone





BH71 Workstation Pro UCWOrkstation

Mono Bluetooth Wireless Headset for Executive Hybrid Worker



4-mic beamforming noise cance**ll**ation



Adjustable earhook for comfortable wearing



Extra 20-hour talke time by charging



workstation range

((y)) All-in-one UC Up to 250ft Connection to wireless Mobile/





Essential Bluetooth Wireless Headset



Retractable Hidden Microphone Noise-Canceling Boom Arm



Dual Microphones



ta**l**k time



UP to 35-hour Qi wireless Dual Visible charging



Busylight





BH76

Premium Bluetooth Wireless Headset

Hidden Microphone audio codec cancellation Boom Arm



Qualcomm aptX*HD AptX-HD



ta**l**k time



charging

Active noise UP to 35-hour Qi wireless Dual visible

busylight





Speakerphone



Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people



Ease of connection



Portable



Low learning







CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people





connection













UVC20 Personal Desktop Webcam

Immediate brilliant video experience for personal desktop

Omni-direction Rotatable



-pixel





Mic





Built-in









UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support



Quality



Framing



of View



PTZ Control





management





UVC34

All-in-One USB video bar for small and huddle rooms and work from home scenario















Al Face Wide-angle Electric Remote Device 8 Microphone Array & Framing Enhancement Lens Cap Management Lens Built-in Speaker





UVC40

All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms



Framing



Tracking







Lens Cap Management



Remote Device 8 Microphone Array & Built-in Speaker



UVC84

4K PTZ Camera for medium and large room with perfect display





Zoom



Framing



Control





Scalability protection





UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms



20X PTZ





Tracking



Tracking



Audio Dual-Camera Scalability System



Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD.

Email: ucinfo@yealink.com | Web: www.yealink.com